

Presented by:



Our models underlie the protection of utility models

Garden innovations with natural stones

Schöpfbrunnen, Steinschalen, Pflanzengefäße ...

Rockpot

Sand- und Kalkstein, Granit, Marmor ...



Triton *sandstone and granite*



Edge length 50 cm and height 40 cm. Weight 120 kg. Available in yellow sandstone and yellow granite. Suitable for corners, small terraces and balconies.

Cylindrical Well *brass spout*



Height approx. 50 cm, diameter 50 cm, weight approx. 160 kg. Made of yellow granite or sandstone. The surface of granite is bush-hammered. Sandstone is finished by a flat chisel.

Rockpot *rough-sharpened well made of sandstone or granite*



The small eye catcher perfectly serves as a delimitation. Its lapping of water and murmur offer a pleasant atmosphere. Measurements: 50 x 50 x 30 cm, weight approx. 80 kg.

Well *rock trough made of serpulid limestone*

The measurements can range around to 2 m. Models with a length of only 50 to 60 cm are also available.

Large samples can also be used as draw wells – for example under a tap or run-out of a rain gutter.

They are highly decorative and form a truthful place in your garden.

The trough is specially thick-walled along the external shape of the stone.

All rock troughs have a drain plug that is accessible from the outside – whether it is a well with a pump circuit and waterspout or a draw well.



Delivery time may vary

100 x 70 x 60 cm, approx. 600 kg, pump 600 l/h, frog king 22 cm, surface roughly broken.

Cassa *grey granite*

Measurements: 40 x 40 x 30 cm.



Sferico (sphere) *yellow sandstone or granite*



Height approx. 35 cm, diameter 55 cm, weight approx. 160 kg. Made of yellow granite or yellow sandstone. Here, the surface is rough-sharpened in sections.

Cylindrical Well *with a frog made of bronze*



Height approx. 50 cm, diameter 50 cm, weight approx. 160 kg. Made of yellow granite or yellow sandstone. The surface of granite is bush-hammered. Sandstone is finished by a flat chisel.

Cassa Well *classic, simple, elegant*



Available with a frog or rectangular angle spout. The surface of granite is bush-hammered. Sandstone is finished by a flat chisel. Measurements: 40 x 40 x 30 cm, 48 x 48 x 40 cm or 80 x 80 x 40 cm.





Grey granite, Ø70 cm, height 90 cm, bush-hammered, approx. 600 kg.



Grey granite, Ø40 cm, height 40 cm, bush-hammered, approx. 90 kg.



Yellow sandstone, Ø40 cm, height 30 cm, sharpened, approx. 70 kg.

Cylindrical Well

sandstone



A cylindrical well always finds its place. Round fits almost everywhere. Nearly every measurement is available in all common materials. 40 × 30 cm is a proven measurement for smaller balconies and terraces. The 50-cm-well is a bit more weighty, but may be mounted with two frogs someday.



Granite, diameter 50 cm, height 50 cm with polished edges. The frog king is 16 cm high. His right arm rests on his hip.



Red sandstone (above), yellow sandstone (below). Diameter 40 cm, with a round angle spout.



Sandstone, sharpened in sections. Diameter 50 cm, height 40 cm. Below: Granite, Ø40 cm, height 30 cm.

Well with a frog king made of yellow sandstone.

Available in

Ø40, height 30 cm, weight approx. 70 kg.

Ø50, height 40 cm, weight approx. 120 kg.

Ø50, height 50 cm, weight approx. 160 kg.

Ø70, height 90 cm, weight approx. 450 kg.

Ø90, height 100 cm, 2 stairs included in delivery, weight approx. 600 kg.

Sferico *sandstone*



Sphere made of sandstone, sharpened in sections. Diameter 45 cm, height 30 cm, weight 80 kg.



Sferico *sandstone*



Frog and draw well sharpened in sections. Diameter 55 cm, height 40 cm. Weight 120 kg.



Erratic Plate
made of granite



Garden plate with rough-polished edges. The measurements vary between 30 cm and 50 cm. Weight between 50 kg and 120 kg.

Aquapietra
sandstone, with ornaments of beaten gold



Stars, leaves or lines decorate this stone. We also accept your individual ornament wishes with pleasure.

Pietruccello
bird bath



Plate, made of green marble, polished, measurements: Ø40, height 10 cm.

Prestian
exclusive garden plate



Design award for the shape at the international consumer goods trade fair 'Ambiente' in Frankfurt.

star-shaped, made of granite or light green marble, with tensioned surfaces, matt polished, approx. 90 × 70 × 20 cm.

Plates *sandstone, granite, marble*

Pietruccello
bird bath



Plate made of sandstone, green, yellow or red. Ground surface, Ø40, height 10 cm.

Esphiona
marble



Plate made of white or green marble, honed, Ø40, height 20 cm. Also available as Elphonia Ø50, height 20 cm or as Emphonia Ø70, height 30 cm.

Ky
granite



Granite plate, square, in pink or black, with polished edges, 40 × 40 × 10 cm.

Frog Trough *dark granite*



Bush-hammered surface, dark granite, polished frog, 40 × 25 × 10 cm.

Liva *sandstone*



Sloping design, in yellow sandstone, rough from the outside, ground on the inside, approx. 50 × 40 × 10 cm.

Bird Bath *made of natural stone*

To preserve a healthy bird population in your surroundings, a bird bath should be cleaned regularly with a rough hand brush and fresh water.





Minicassa *sandstone and limestone case*

with different ornaments of beaten gold (24 carat), underlaid with felt, suitable for bookends or writing materials, (12 × 12 × 10 cm), also available with a cover in different sizes.



Container



Oblong stone case made of sandstone with engraved ornaments, decorated with beaten gold, 24 carat, e. g. 24 × 12 × 12 cm in marble or sandstone.



Container with cover made of limestone, 20 × 20 × 18 cm.



Tobia *large draw well*



Two stairs in front of the draw well make it easier to take out the full watering cans. Material: granite or sandstone, Ø90 cm, height 100 cm, weight 700 kg.



Care

Nearly all natural stones can be cleaned very well with a high-pressure cleaner. Light marbles become snow-white again with chloric sanitary cleaners. A good cleaning result for granite can be reached with a shot of household detergent. However, sandstone and limestone tend

to encourage the development of algae and lichens. This process can be stopped by using wire brushes and abrasive paper. But the stones can also look very beautiful with these organisms. And: for all those, who particularly like

it, the surface of the stones can be treated with liquid fertiliser to accelerate the progress.

Bolly *sandstone*



Planter
made of sandstone,
40 × 40 × 32 cm, approx. 70 kg.

Agahim *red sandstone*



Planter made of red sandstone,
60 × 60 × 60 cm, approx. 200 kg.

The small Murr *sandstone*



Flower pot, Ø20 cm, height
20 cm, approx. 3 kg.

Presenter *sandstone,* *picture frame*

These picture frames of stone
can also be hung on trees or
external walls. The laminated
pictures are fixed on the glass
by a steel plate with holes in
upright or landscape format
and screw joints.



Picture size 10 × 15 cm, outer
dimensions 20 × 15 × 5 cm.

Large and small planters *made of lime- and sandstone*

Cylinder *red sandstone*



Measurements: 40 x 40 cm,
weight approx. 80 kg.

Limestone Pot



80 × 60 × 60 cm (with palm
tree) , weight approx. 400 kg.

Planter *sandstone*



20 × 20 × 20 cm, weight
approx. 5 kg.

Kapitello *sandstone*



Planter, 12 × 12 × 10 cm in
yellow sandstone, also 40 ×
40 × 30 cm in red sandstone.

Stone Vase *sandstone*



Diameter 20 cm, height 40 cm,
approx. 10 kg.

Rockpot *sandstone*



Planter made of sharpened
sandstone, 30 × 25 × 25 cm.

Spouts *made of brass*



Rectangular angle spout, height 10 cm.

The spouts vary in shape and size. They can also be fitted to the well. Brass is more weatherproof and frost-resistant. The spouts are also available with layers of beaten gold.



brass spout, height 15 cm.



Water intake with stop valve, height 46 cm.

Spout *chromed*



Chromed brass on a granite cylinder, 70 cm.

Spout *brass*



Natural brass on a granite cylinder, Ø50 cm.

Polyester Well



Measurements: 40 × 40 × 40 cm, weight approx. 5 kg.

with a frog king, available in yellow, orange, green and white/opaque. Polyester is a weatherproof material. For the use in the outdoor area, the well is provided with a drain plug that must be unscrewed by an attached spanner at the beginning of winter. The circulating pump remains in the well and can be protected by a freezer bag until the well season in the sunny time of the year starts again.



Even in ancient times, it was believed that water wells... were the residence of gods... to whom a high symbolic value (eye, mouth) was ascribed to.

Wells - Drainage

The wells must be drained in winter. In order that the rainfalls can drain off from the well, our wells have a drain plug, which should be unscrewed all winter long. The plug should be screwed in by an attached spanner only after the frost period.



Sparrows
bronze



Little tail up or straight, not suitable as a waterspout.

Duck with Scarf
bronze



Height 12 cm, suitable as a waterspout.

Raven Chicken
bronze



Beak up, aside and ahead, approx. 10 cm high, not suitable as a waterspout.

Accessories *made of bronze*



What was falling down, however, was not a dead frog, but a vivid and young king's son with beautiful and friendly eyes. (Grimm Brothers)

Frog Kings

bronze
Frog kings to be used as waterspout are available in different sizes.



Arms crossed 8 cm
Arms at the back 9 cm
Arm on the hip 16 cm
Arms crossed 20 cm
Arms at the back 21 cm

Frog Concert *Limestone of Lower Saxony*



Frogs sitting on a triangular limestone and spitting in turns. Measurements: 100 x 100 x 60 cm, weight: 500 kg. The naturally broken troughs, holed along the outer edge, have an edge length from 1 m and a wall thickness from 10 cm.

Garden Cupboard



The prototype was first presented in 1993 at the international consumer goods trade fair 'Tendence' in Frankfurt on occasion of the special show 'The Color Blue'.

This cheerful outdoor furniture can be used both as a larder in the transitional season and as a shop display. In remote corners of the garden, the cupboard is able to protect e.g. cigars and chocolates from thundershower.

A steel frame supports the boards. The roof is made of zinc sheets. The base consists of natural stone sharpened in sections. Of course, the cupboard is lockable.



190/48/48 cm, approx. 200 kg. Also tried and tested as a balcony larder and available in your favourite colour.

Pumps – Care

If the well does not want to bubble anymore, the waterspout is blocked in most cases (the pump vibrates when turned on). If the pump does not vibrate, sand inside the pump's housing might block the drive magnet. Dirty or silty pumps


must be cleaned by opening the pump housing in order to grasp the pump rotor and drive magnet with tongs or tweezers. Then the round shaft inside the pump's housing can be cleaned with a

cotton bud. The best remedy for limescale is a small amount of vinegar.

Delivery time may vary



Severa *round wooden bench*



Garden bench made of customary round wood. The wood is inserted in semi-circular coves. That way they can be easily removed and kept dry in winter.

The stone blocks are either made of granite or sandstone. Bench length up to 220 cm, weight approx. 200 kg.

Verus *stone bench*

Plain garden furniture, length approx. 130 cm, made of sandstone or granite, approx. 180 kg.



Aronio *umbrella stand*

Red sandstone or grey granite for umbrella stands with a diameter of 2.5 m. In a tilted position, the stone can be easily rolled. Weight approx. 80 kg, sleeve diameter 45 mm.



Bench Micky *sandstone, granite*

Three-part garden bench, handworked, 4 steel dowels included in delivery, measurements approx. 124 × 50 × 35 cm, weight approx. 200 kg.

Handling and Care

Pots made of natural stone are very durable, heirlooms so to speak, with the right care. But frost, hard impacts on the edges, salts and acids may still pose a challenge for the stone.

Transport and Location

All edges must be well-protected during transport, e.g. by the use of carpet remnants, PVC, pieces of wood or boards. Sedimentary rocks, especially sand- and limestone, are highly hygroscopic materials, meaning they absorb water. This may cause the solution of pigments in the stone and the discolouration of the underground. For this rea-

son, planters, plates and wells in the indoor and outdoor area should be separated from sensitive floor coverings (carpet, wood, marble, terrazzo, open-pored granite) by a distance piece (sheet, glass, tile).

Pumps – Special Notes

Frozen and silty pumps must be disconnected from the power supply system. All 220-volt sockets that power pumps must be protected by a residual-current device (RCD).

We can provide our wells with 12-volt pumps on request.



Allgemeine Verkaufs-, Lieferungs- und Zahlungsbedingungen

Wir wahren bei allen Verkäufen im weitesten Maße das Interesse unserer Kunden, machen jedoch im Hinblick auf eine ordnungsgemäße Geschäftsabwicklung folgende Bedingungen zum Vertragsinhalt:

I. Allgemeines

2. Nachstehende, dem Käufer zur Kenntnis gebrachten Verkaufs-, Lieferungs- und Zahlungsbedingungen gelten durch Auftragserteilung als Vertragsbestandteil. Abweichende Bedingungen bedürfen der besonderen schriftlichen Vereinbarung.

3. Abweichende Einkaufsbedingungen des Käufers gelten nur, soweit sie von uns schriftlich anerkannt sind.

II. Angebote und Lieferfristen

1. Soweit nicht anders vereinbart, gelten alle Angebote, freibleibend und unverbindlich unter dem Vorbehalt des Zwischenverkaufs.

2. Aufträge und Abmachungen jeder Art haben nur Gültigkeit, wenn sie vom Verkäufer schriftlich bestätigt sind.

3. Die Übernahme aller Aufträge erfolgt unter Vorbehalt der Liefermöglichkeit aus eigener Erzeugung. Etwa angegebene Lieferfristen und -mengen sind nur annähernd und für den Verkäufer unverbindlich. Unvorhergesehene Fabrikationshindernisse, Betriebsstörungen, Laderaum- und Rohstoffmangel, sowie Ereignisse höherer Gewalt berechtigen den Verkäufer zur Hinausschiebung oder Aufhebung übernommener Lieferungsverpflichtungen. Ist ein fester Liefertermin vereinbart, so kommen wir nur durch Setzen einer Nachfrist von mindestens 14 Tagen in Verzug. Nach Ablauf der 14 Tage kann uns der Käufer eine weitere Nachfrist von 14 Tagen setzen, nach deren Ablauf er vom Vertrag zurücktreten kann.

4. Die dem Angebot u. U. beigefügten Unterlagen, wie Abbildungen, Zeichnungen, Gewichtsangaben, etc. sind nur annähernd maßgeblich, sofern sie nicht ausdrücklich als verbindlich bezeichnet worden sind. Das Eigentums- und Urheberrecht an Kostenanschlägen, Zeichnungen und anderen Unterlagen bleibt dem Verkäufer vorbehalten; sie dürfen Dritten nicht zugänglich gemacht werden.

5. Ratschläge und Empfehlungen in unseren Werbungen, Angeboten usw. auch mündlich durch unser Personal, erfolgen nach bestem Wissen und Erfahrungen, jedoch stets unverbindlich.

III. Preise und Nebenkosten

1. Sind besondere Preise nicht vereinbart, gelten unsere Listenpreise und die Tarifrachten. Alle Preis- und Frachtabgaben erfolgen rein netto. Die Mehrwertsteuer wird in gesetzlich vorgeschriebener Höhe gesondert in Rechnung gestellt. Frachtabgaben erfolgen nach bestem Wissen jedoch ohne Gewähr für die Richtigkeit. Der Berechnung liegt, soweit nicht anders vereinbart, das an der Versandstelle ermittelte Gewicht zugrunde.

2. Transportpreise gelten vorbehaltlich der Richtigkeit der zugrunde gelegten Frachtfremdung und Frachttarife. Sie beinhalten, soweit nicht ausdrücklich schriftlich vereinbart, keine Anschluss-, Aufstell- und Nebengebühren, desgleichen keine Zuschläge für Umwege. Zwischenzeitliche Frachterhöhungen gehen zu Lasten des Käufers und berechtigen den Verkäufer, ebenso wie Irrtümer in der Frachtermittlung, zur entsprechenden Berichtigung des Frachtpreises.

Swarm of Ducks *limestone trough*



Each well has its own shape. The naturally broken troughs, holed along the outer edge, have an edge length between 40 cm and 200 cm. With the appropriate wall thickness it is possible to hide the pump in the stone wall behind the gra-

ting, fitting exactly in a hollow space. All outer edges are rounded and therefore pleasant to touch. Please specify your desired stone size at the time of order.

3. Preise für Frachtlieferungen gelten unter Vorbehalt freier zumutbarer Verkehrswege und Verfügbarkeit der Transportmittel. Bei Anlieferung muss die Abladestelle mit direkter Wende- und Abfahrtsmöglichkeit, ohne Umwege, erreichbar sein. Ist die Zufahrt behindert, so hat die Entladung an der Stelle zu erfolgen, bis zu der das Fahrzeug ohne fremde Hilfe ungehindert gelangen und leer wegfahren kann. Die Entladung hat in allen Fällen mit geeigneten Mitteln unverzüglich nach Ankunft durch den Käufer zu erfolgen. Entstehende Frachtschläge durch Wartezeiten bei der Entladung gehen zu Käufers Lasten.

IV. Transportbedingungen

1. Das Transportrisiko übernimmt der Verkäufer.

2. Die Anlieferung erfolgt durch eine beauftragte Spedition nur bis zur Bordsteinkante. Bis 20kg werden die auszuliefernden Waren durch Postversand zugestellt.

3. Für Schäden, die durch von uns eingesetzten fremden Transportmitteln verursacht werden, haften wir nicht.

V. Mängelrügen

1. Der Verkäufer sichert im Rahmen seiner Sorgfaltspflicht Lieferung einwandfreier Ware zu. Grundsätzlich ist die gelieferte Ware vor Weiterverarbeitung oder Einbau etc. zu prüfen.

2. Mängelrügen jeder Art, insbesondere das Fehlen zugesicherter Eigenschaften und Stückzahldifferenzen, müssen uns spätestens innerhalb von 6 Tagen nach Eingang der Ware beim Käufer oder Besteller per Einschreiben angezeigt werden. Andernfalls gilt die Ware, so wie übersandt, als

gebilligt. Ist der Abnehmer kein Vollkaufmann, tritt anstelle der Frist von 6 Tagen eine solche von 18 Tagen.

3. Mängelrügen für Mängel, die bei Abnahme trotz sorgfältiger Prüfung nicht sofort sichtbar sind, können von Vollkaufleuten nur innerhalb einer Frist von einem Monat erhoben werden. Nur innerhalb dieser Frist haften wir auch für die Eigenschaften des zur Anfertigung verwandten Materials. Nach Ablauf von einem Monat vom Tag der Abnahme an sind Mängelansprüche jeder Art endgültig ausgeschlossen. Bei Nichtkaufleuten gelten die gesetzlichen Bestimmungen entsprechend.

4. Verschiedenartigkeiten in Körnung, Abweichung in Farbe und Struktur wie Flecken, Adern, Schattierungen sind Naturgebilde, die nicht zur Beanstandung berechtigen. Muster können nur das allgemeine Aussehen des Steines zeigen und Abweichungen liegen in der Natur des Gesteines und können nicht vermieden werden.

5. Fachgerechte Kittungen, das Auseinandernehmen von Teilen in losen Adern oder Stichen und das Wiederzusammensetzen sind branchenüblich und können nicht zu Beanstandungen führen.

6. Der Käufer ist bei Mängeln zunächst verpflichtet, uns Gelegenheit zur Nachbesserung zu geben. Wird die Nachbesserung von uns verweigert, z.B. weil wir den Mangel nicht anerkennen, oder schlagen mindestens zwei Nachbesserungsversuche fehl, können neben der Nachbesserung auch Wandlung oder Minderung geltend gemacht werden.

Custom-made Items



Individual solutions – this is what we produce. The delivery time may vary. Example: eight-part well system made of limestone and basalt.

7. Ein Anspruch auf Nachlieferung mangelfreier Ware und jeder weitere Schadensersatz nach §§ 463 und 480,2 BGB bzw. Vertragsstrafen sowie Schadensersatzansprüche für Mängelfolgeschäden aus einer positiven Vertragsverletzung sind grundsätzlich ausgeschlossen. Die gelieferte Ware kann nicht zur Verfügung gestellt werden. Die Beförderungsmittel sind grundsätzlich auszuladen.

VI. Zahlung

1. Die Zahlung hat, sofern nichts anderes vereinbart, innerhalb 30 Tagen nach Rechnungsdatum in bar ohne Abzug zu erfolgen.

2. Bei Nichteinhaltung der Zahlungsbedingungen ist der Verkäufer von allen Lieferungsverpflichtungen entbunden. Außerdem bleibt dem Verkäufer vorbehalten, Verzugszinsen in Höhe von 3% über dem jeweiligen LZB-Satz zu berechnen, bzw. ihm selbst entstehende Kreditzinsen zu belasten.

3. Bei noch nicht ganz erfüllten Verträgen steht es uns frei die Restlieferung zu verweigern, bis Zahlung erfolgt ist.

4. Der Verkäufer ist nicht verpflichtet, Wechsel in Zahlung zu nehmen. Werden sie angenommen, so geschieht dies nur zahlungshalber und unter

dem Vorbehalt der Diskontierungsmöglichkeit bei der Bank des Verkäufers. Die Diskontspesen gehen zu Lasten des Wechselgebers.

5. Schecks gelten nicht als Barzahlung, sie werden unter Vorbehalt angenommen.

6. Ungünstige Auskünfte über den Käufer sowie Verschlechterung seiner wirtschaftlichen und/oder finanzieller Verhältnisse, berechtigen den Verkäufer, Sicherheitsleistung oder sofortige Zahlung für alle offenen Forderungen und laufende Wechsel ohne Rücksicht auf deren Fälligkeit zu verlangen und/oder auch vom Vertrag zurückzutreten. Das gleiche gilt bei Zahlungsverzug.

7. Bei Zahlungseinstellung, Eröffnung des Vertragshilfe-, Vergleichs- oder Konkursverfahrens des Käufers ist die Kaufpreisforderung sofort fällig. Beanstandungen entbinden nicht von der Zahlungspflicht und am Fälligkeitstag ist mindestens der Betrag zu leisten, der auf den nicht beanstandeten Teil der Lieferung entfällt.

VII. Eigentumsvorbehalt

1. Sämtliche gelieferte Ware bleibt bis zur vollständigen Bezahlung der Forderung Eigentum des Verkäufers. Dies gilt auch bei Lagerung der Ware auf fremden Grundstücken.

2. Eigentumsvorbehalt bleibt auch gegenüber dritten Personen bestehen. Bis zum Eigentumsübergang auf den Käufer oder dessen Abnehmer gelten beide als unentgeltliche Verwahrer im Sinne der §§ 688 ff BGB. Der Käufer ist berechtigt, die Ware zu verarbeiten und an dritte Personen weiter zu veräußern, wobei vom Käufer nachstehende Verpflichtungen übernommen werden. Der Käufer nimmt die Ware für den Verkäufer in Verwahrung. Der Weiterverkauf erfolgt im Auftrag des Verkäufers, wobei der Käufer für den Kaufpreis Bürge und für jeden Schaden haftbar ist. Die durch den Weiterverkauf oder durch den Einbau entstandenen Forderungen gehen ohne weiteres auf den Verkäufer über. Der Käufer zieht die Forderung im Auftrag des Verkäufers ein und hat eingegangene Gelder gesondert aufzubewahren und unverzüglich an den Verkäufer abzuführen.

3. Der Käufer hat auf Verlangen des Verkäufers dem letzteren die Anschrift der dritten Person zu geben, an die die Ware weiter verkauft werden ist.

4. Verpfändungen oder Sicherheitsübereignung der Vorbehaltsware bzw. der abgetretenen Forderungen ist unzulässig.

5. Durch Verarbeitung der Vorbehaltsware erwirbt der Käufer nicht das Eigentum gemäß §950 BGB an der neuen Sache. Die Verarbeitung wird durch den Käufer für den Verkäufer vorgenommen. Wenn die Vorbehaltsware mit anderen, dem Verkäufer nicht gehörenden Gegenständen weiter verarbeitet wird, erwirbt der Verkäufer das Miteigentum an der neuen Sache im Verhältnis des Wertes der Vorbehaltsware zu den anderen Gegenständen. Der Käufer tritt hiermit die Forderung aus einem Weiterverkauf der Vorbehaltsware an den Verkäufer ab, und zwar auch insoweit, als das die Ware verarbeitet ist.

6. Der Verkäufer wird die abgetretenen Forderungen, solange der Käufer seinen Zahlungsverpflichtungen nachkommt, nicht einziehen. Der Käufer ist aber verpflichtet, dem Verkäufer auf Verlangen die Drittschuldner aufzugeben und diesen die Abtretungen anzuziehen. Er ist berechtigt, die Forderungen solange selbst einzuziehen, wie ihm der Verkäufer keine andere Anweisung gibt.

VIII. Erfüllungsort

1. Erfüllungsort für die Lieferung, auch bei vereinbarter Folgelieferung, ist die jeweilige Verladestelle. Der Transport erfolgt in jedem Fall auf Gefahr des Käufers. Transportversicherung wird nur bei besonderem schriftlichen Auftrag gegen Berechnung der Versicherungskosten gedeckt.

2. Mit der Übergabe der Ware an den Frachtführer ist die Lieferung erfüllt und geht die Gefahr auf den Käufer über. Durch die Übernahme wird gleichzeitig bestätigt, dass die nach den gesetzlichen Bestimmungen erforderliche Genehmigung für die Beförderung der Ladung vorliegt und dass das gesetzlich zulässige Gesamtgewicht des bzw. der Fahrzeuge nicht überschritten wird.

IX. Gerichtsstand

1. Als Gerichtsstand, auch bei Wechselklagen, gilt das Amtsgericht Hildesheim soweit durch Gesetz nicht anders bestimmt.

2. Der Verkäufer ist ferner berechtigt, bei dem Amtsgericht Ansprüche geltend zu machen, deren Streitwert an sich die Zuständigkeit des Landgerichts begründen würde.

3. Es gilt ausschließlich das Recht der Bundesrepublik Deutschland.